

## Robson groups, British Columbia

Fiscal year 2009 / 2010

Robson group	Number of cesareans	Number of deliveries	Relative group size	CD rate <sup>#</sup>	Contribution to CD rate <sup>#</sup>
Total	13,436	44,284	.	30.3%	.
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,429	12,238	27.6%	19.9%	18.1%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,150	5,185	11.7%	41.5%	16.0%
3 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	300	11,837	26.7%	2.5%	2.2%
4 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	378	3,126	7.1%	12.1%	2.8%
5 - Multiparous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,887	4,889	11.0%	79.5%	28.9%
6 - Nulliparous women with a single breech pregnancy	967	1,018	2.3%	95.0%	7.2%
7 - Multiparous women with a single breech pregnancy, including women with a uterine scar	627	699	1.6%	89.7%	4.7%
8 - Women with multiple pregnancies, including women with a uterine scar	516	740	1.7%	69.7%	3.8%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	198	246	0.6%	80.5%	1.5%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	757	2,899	6.6%	26.1%	5.6%
99 - Unclassifiable*	1,227	1,407	3.2%	87.2%	9.1%

Report prepared 13DEC2011 from data as of 30NOV2011.

# Cesarean delivery rate

\* Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.

## Robson groups, British Columbia

Fiscal year 2010 / 2011<sup>^</sup>

Robson group	Number of cesareans	Number of deliveries	Relative group size	CD rate <sup>#</sup>	Contribution to CD rate <sup>#</sup>
Total	13,376	43,115	.	31.0%	.
1 - Nulliparous women with a single vertex pregnancy at 37+ weeks in spontaneous labour	2,349	11,885	27.6%	19.8%	17.6%
2 - Nulliparous women with a single vertex pregnancy at 37+ weeks with induced or no labour	2,356	5,291	12.3%	44.5%	17.6%
3 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks in spontaneous labour	297	11,381	26.4%	2.6%	2.2%
4 - Multiparous women, no uterine scar, with a single vertex pregnancy at 37+ weeks with induced or no labour	402	3,073	7.1%	13.1%	3.0%
5 - Multiparous women with a uterine scar with a single vertex pregnancy at 37+ weeks	3,833	4,859	11.3%	78.9%	28.7%
6 - Nulliparous women with a single breech pregnancy	954	1,003	2.3%	95.1%	7.1%
7 - Multiparous women with a single breech pregnancy, including women with a uterine scar	573	659	1.5%	87.0%	4.3%
8 - Women with multiple pregnancies, including women with a uterine scar	478	679	1.6%	70.4%	3.6%
9 - Women with a single pregnancy with a transverse or other abnormal presentation, including women with a uterine scar	208	258	0.6%	80.6%	1.6%
10 - Women with a single vertex pregnancy at <37 weeks, including women with a uterine scar	820	2,839	6.6%	28.9%	6.1%
99 - Unclassifiable*	1,106	1,188	2.8%	93.1%	8.3%

Report prepared 13DEC2011 from data as of 30NOV2011.

<sup>^</sup> Data for 2010/2011 are preliminary and subject to revision.

<sup>#</sup> Cesarean delivery rate

\* Women in Group 99 are missing information on presentation, gestational age, parity, and/or type of labour.